

Primo VE Default Display Fields

The following chart shows the Primo VE display fields that are available by default and which of them are turned “on” in the default View configuration, as well as the default display label for the data and where the label for the field is defined.

All of these display fields already have default MARC21 Normalization Rules defined in Alma for them that will be used automatically when you add one of these default field for display, so you do not need to define the Normalization Rule yourself.

General Documentation: "Mapping to the Display, Facets, and Search Sections in the Primo VE Record" - "Primo VE Display Section"

https://knowledge.exlibrisgroup.com/Primo/Product_Documentation/020Primo_VE/050Other_Configuration/Mapping_to_the_Display%2CFacets%2C_and_Search_Sections_in_the_Primo_VE_Record#MARC21_and_KORMARC

To display available fields that are not “on” by default (Identifiers, Includes, Language, MMS ID, Related Work, Source, Uniform Title):

https://knowledge.exlibrisgroup.com/Primo/Product_Documentation/020Primo_VE/025Display_Configuration/010Configuring_Discovery_VIEWS_for_Primo_VE#Configuring_the_Details_Service

To change the default display labels:

https://knowledge.exlibrisgroup.com/Primo/Product_Documentation/020Primo_VE/025Display_Configuration/030Configuring_Display_Labels_for_Primo_VE

ON by default	Display Field Name	MARC21 Tags	Primo VE Display Label	Label Table
√	Contents	505 all subfields 880-505 all subfields	Contents	Full Display Labels
√	Contributor	700 a,b,c,d,e,j,q,u AND 710 a AND 711 a AND 880-700 a AND 880-710 a AND 880-711 a	Contributor	Full Display Labels
√	Creation Date	260/3 c OR 264/3/1 c OR 260 c OR 264 c OR 008 <u>Special formatting:</u> <ul style="list-style-type: none"> • 260, 264: <ul style="list-style-type: none"> ○ Remove leading characters[○ Remove characters from the end]:,=/. • 008: <ul style="list-style-type: none"> ○ Take characters from position 07-10 (year 1) & 11-14 (year 2). ○ Add a “space-space” between year 1 and year 2. ○ Replace any character that is not a digit with a question mark. 	Creation Date	Full Display Labels

Primo VE Default Display Fields

		<ul style="list-style-type: none"> ○ Take a year if the result is all question marks or zeroes. <p>Examples:</p> <ul style="list-style-type: none"> ○ The following returns 1946: 821202 1946 0 eng d< ○ The following returns 1964 – 1980: 821202 19461980 0 eng d ○ The following returns 19??: 821202 19uu 0 eng d 		
√	Creator	(100 all subfields OR 110 all subfields OR 111 all subfields) AND (880-100 all subfields OR 880-110 all subfields OR 880-111 all subfields)	Creator	Full Display Labels
√	Description	520 all subfields 880-520 all subfields	Description	Full Display Labels
√	Dissertation	502 all subfields	Dissertation	Full Display Labels
√	Edition, Imprint etc.	(250 3,a,b) AND (880-250 3,a,b)	Edition	Full Display Labels
√	Physical Description / Format	300 all subfields 340 all subfields 254 all subfields 255 all subfields 256 all subfields 258 all subfields 351 all subfields 507 all subfields 346 all subfields 347 all subfields All occurrences of these tags will be mapped to a separate format field.	Format	Full Display Labels
√	Frequency	310 all subfields	Frequency	Full Display Labels
√	Genre	600 v 610 v 611 v 630 v 648 v 650 v	Genre	Full Display Labels

Primo VE Default Display Fields

		651 v 654 v 655 v 656 v 657 v																		
no	Identifiers : both global and internal – each with separate label	<table border="1"> <thead> <tr> <th>Type</th> <th>Tag + Subfields</th> </tr> </thead> <tbody> <tr> <td rowspan="2">ISBN</td> <td>020 a</td> </tr> <tr> <td>776 z</td> </tr> <tr> <td rowspan="2">ISSN</td> <td>022 a</td> </tr> <tr> <td>776 x</td> </tr> <tr> <td>ISMN</td> <td>024-2 a</td> </tr> <tr> <td>OCLC</td> <td>035 a (Only if the string OCoLC exists in the value.)</td> </tr> <tr> <td>PUBNUM</td> <td>028 a</td> </tr> <tr> <td>GOVDOC</td> <td>086 a</td> </tr> </tbody> </table>	Type	Tag + Subfields	ISBN	020 a	776 z	ISSN	022 a	776 x	ISMN	024-2 a	OCLC	035 a (Only if the string OCoLC exists in the value.)	PUBNUM	028 a	GOVDOC	086 a	ISBN ISSN ISMN OCLC PUBNUM GOVDOC	Display Constants Labels
Type	Tag + Subfields																			
ISBN	020 a																			
	776 z																			
ISSN	022 a																			
	776 x																			
ISMN	024-2 a																			
OCLC	035 a (Only if the string OCoLC exists in the value.)																			
PUBNUM	028 a																			
GOVDOC	086 a																			
no	Includes	100 all subfields except e and numeric 240 all subfields except numeric and add to end of string	Includes	Full Display Labels																
no	Language	041 a, d and e OR 008 position 35-37	Language	Full Display Labels																
√	Location	Based on physical location from Alma and is not mapped from a MARC field.	Location	Full Display Labels																
√	Is Part Of	773 all subfields except for u, w, x, y, and z 880-773 all subfields except for u, w, x, y, and z	Is Part Of	Full Display Labels																
√	MESH	600 all subfields except for v 610 all subfields except for v 611 all subfields except for v 630 all subfields except for v 648 all subfields except for v 650 all subfields except for v 651 all subfields except for v 655 all subfields except for v	MESH subjects	Full Display Labels																

Primo VE Default Display Fields

		Only occurrences with the 2 nd indicator set to 2 will be taken since these are relevant for MESH.																																					
no	MMS	Not mapped from MARC	MMD ID	Full Display Labels																																			
√	Publisher (includes place of publication)	(260/3 a,b OR 264/3/1 a,b OR 260 a,b OR 264 a,b) AND (362 a,z) AND (880-260/3 a,b OR 880-264/3/1 a,b OR 880-260 a,b OR 880-264 a,b)	Publisher	Full Display Labels																																			
√	Relation (Related Titles)	<table border="1"> <thead> <tr> <th>Type</th> <th>Tag + Subfields</th> </tr> </thead> <tbody> <tr> <td rowspan="2">main_series</td> <td>760 all subfields except w, x, and y</td> </tr> <tr> <td>880-760 all subfields except w, x, and y</td> </tr> <tr> <td rowspan="2">sub_series</td> <td>762 all subfields except w, x, and y</td> </tr> <tr> <td>880-762 all subfields except w, x, and y</td> </tr> <tr> <td rowspan="2">orig_language</td> <td>765 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-765 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">translation</td> <td>767 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-767 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">supplement</td> <td>770 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-770 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">supp_parent</td> <td>772 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-772 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">constituent</td> <td>774 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-774 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">edition</td> <td>775 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-775 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">form</td> <td>776 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-776 all subfields except u, w, x, y, and z</td> </tr> <tr> <td rowspan="2">issued_with</td> <td>777 all subfields except w, x, and y</td> </tr> <tr> <td>880-777 all subfields except w, x, and y</td> </tr> <tr> <td rowspan="2">earlier_title</td> <td>780 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>880-780 all subfields except u, w, x, y, and z</td> </tr> </tbody> </table>	Type	Tag + Subfields	main_series	760 all subfields except w, x, and y	880-760 all subfields except w, x, and y	sub_series	762 all subfields except w, x, and y	880-762 all subfields except w, x, and y	orig_language	765 all subfields except u, w, x, y, and z	880-765 all subfields except u, w, x, y, and z	translation	767 all subfields except u, w, x, y, and z	880-767 all subfields except u, w, x, y, and z	supplement	770 all subfields except u, w, x, y, and z	880-770 all subfields except u, w, x, y, and z	supp_parent	772 all subfields except u, w, x, y, and z	880-772 all subfields except u, w, x, y, and z	constituent	774 all subfields except u, w, x, y, and z	880-774 all subfields except u, w, x, y, and z	edition	775 all subfields except u, w, x, y, and z	880-775 all subfields except u, w, x, y, and z	form	776 all subfields except u, w, x, y, and z	880-776 all subfields except u, w, x, y, and z	issued_with	777 all subfields except w, x, and y	880-777 all subfields except w, x, and y	earlier_title	780 all subfields except u, w, x, y, and z	880-780 all subfields except u, w, x, y, and z	Main Series Has sub-series Translation of Translated as Has supplement Supplement to Units Other editions available: Available in other form: Issued with Earlier title	Display Constants Labels
Type	Tag + Subfields																																						
main_series	760 all subfields except w, x, and y																																						
	880-760 all subfields except w, x, and y																																						
sub_series	762 all subfields except w, x, and y																																						
	880-762 all subfields except w, x, and y																																						
orig_language	765 all subfields except u, w, x, y, and z																																						
	880-765 all subfields except u, w, x, y, and z																																						
translation	767 all subfields except u, w, x, y, and z																																						
	880-767 all subfields except u, w, x, y, and z																																						
supplement	770 all subfields except u, w, x, y, and z																																						
	880-770 all subfields except u, w, x, y, and z																																						
supp_parent	772 all subfields except u, w, x, y, and z																																						
	880-772 all subfields except u, w, x, y, and z																																						
constituent	774 all subfields except u, w, x, y, and z																																						
	880-774 all subfields except u, w, x, y, and z																																						
edition	775 all subfields except u, w, x, y, and z																																						
	880-775 all subfields except u, w, x, y, and z																																						
form	776 all subfields except u, w, x, y, and z																																						
	880-776 all subfields except u, w, x, y, and z																																						
issued_with	777 all subfields except w, x, and y																																						
	880-777 all subfields except w, x, and y																																						
earlier_title	780 all subfields except u, w, x, y, and z																																						
	880-780 all subfields except u, w, x, y, and z																																						

Primo VE Default Display Fields

		<table border="1"> <tr> <td>later_title</td> <td>785 all subfields except u, w, x, y, and z 880-785 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>data_source</td> <td>786 all subfields except u, w, x, y, and z 880-786 all subfields except u, w, x, y, and z</td> </tr> <tr> <td>other_relationship</td> <td>787 all subfields except u, w, x, y, and z 880-787 all subfields except u, w, x, y, and z</td> </tr> </table>	later_title	785 all subfields except u, w, x, y, and z 880-785 all subfields except u, w, x, y, and z	data_source	786 all subfields except u, w, x, y, and z 880-786 all subfields except u, w, x, y, and z	other_relationship	787 all subfields except u, w, x, y, and z 880-787 all subfields except u, w, x, y, and z	Later title Data Source Related to	
later_title	785 all subfields except u, w, x, y, and z 880-785 all subfields except u, w, x, y, and z									
data_source	786 all subfields except u, w, x, y, and z 880-786 all subfields except u, w, x, y, and z									
other_relationship	787 all subfields except u, w, x, y, and z 880-787 all subfields except u, w, x, y, and z									
no	Related Work	700 (only if \$\$t exists and 2nd indicator is anything except for 2): <ul style="list-style-type: none"> • If present, display \$\$i first. • Display all remaining subfields except \$\$x and numeric subfields. 	Related Work	Full Display Labels						
√	Series	400 all subfields 440 all subfields 490 all subfields 800 all subfields 810 all subfields 811 all subfields 830 all subfields 840 all subfields 880-400 all subfields 880-440 all subfields 880-490 all subfields 880-800 all subfields 880-810 all subfields 880-811 all subfields 880-830 all subfields 880-840 all subfields	Series	Full Display Labels						
no	Source	Not mapped from a MARC field. If the source is from Alma, the library catalog is used. If the source is external, the source's name is used.	Source	Full Display Labels						
√	Subjects	<u>Notes:</u> <ul style="list-style-type: none"> • For all of the tags listed below, unless specified otherwise, the first indicator can be anything, and the second indicator can be anything except for “2” (MESH). • Any periods that may be added at the end of the subfield will be deleted. 	Subject	Full Display Labels						

Primo VE Default Display Fields

		<ul style="list-style-type: none"> • Before subfields x, y, and z there will be a double hyphen. All the tags below, unless noted otherwise, include these subfields. For example, the following MARC fields: <code><datafield tag="650" ind1=" " ind2="0"></code> <code><subfield code="a">Subsidences (Earth movements)</subfield></code> <code><subfield code="z">California</subfield></code> <code><subfield code="z">Sacramento Region.</subfield></code> Become: <code><subject>Subsidences (Earth movements) -- California -- Sacramento Region</subject></code> <p>600 all subfields except for v</p> <p>610 all subfields except for v</p> <p>611 all subfields except for v</p> <p>630 all subfields except for v</p> <p>648 all subfields except for v</p> <p>650 all subfields except for v</p> <p>651 all subfields except for v</p> <p>653 all subfields. Does not include v, x, y, and z. Has no indicators.</p> <p>654 all subfields except for v. Only has 1st indicator.</p> <p>655 all subfields except for v</p> <p>656 all subfields except for v. Second indicator will never be '2'</p> <p>657 all subfields except for v. Second indicator will never be '2'</p> <p>658 all subfields except for v, x, y, and z. Has no indicators.</p> <p>662 all subfields except for v, x, y, and z. Has no indicators.</p> <p>880-600 all subfields except for v</p> <p>880-610 all subfields except for v</p> <p>880-611 all subfields except for v</p> <p>880-630 all subfields except for v</p> <p>880-648 all subfields except for v</p> <p>880-650 all subfields except for v</p> <p>880-651 all subfields except for v</p> <p>880-653 all subfields except for v, x, y, and z. Has no indicators.</p> <p>880-654 all subfields except for v. Only has 1st indicator.</p> <p>880-655 all subfields except for v</p> <p>880-656 all subfields except for v. Second indicator will never be 2.</p>		
--	--	--	--	--

Primo VE Default Display Fields

		880-657 all subfields except for v. Second indicator will never be 2. 880-658 all subfields except for v, x, y, and z. Has no indicators. 880-662 all subfields except for v, x, y, and z. Has no indicators. All 6XX except for MESH and v		
√	Title	245 or 130 (for journal) Details: If ldr position 6=a AND position 7=b OR i OR s take 130 a,d,f,k,l,m,n,o,p,r,s (if it exists) ELSE take: 245 a,b,f,g,k,n,p,s Example: <controlfield tag="LDR">00770nas 22002051 4500</controlfield>	Title	Full Display Labels
√	Additional Title (Other Title)	(246 i,a,b,f,g,n,p) AND (247 i,a,b,f,g,n,p) AND (730 all subfields) AND (740 all subfields) AND (830 all subfields) AND (840 all subfields) AND (880-246 i,a,b,f,g,n,p) AND (880-247 i,a,b,f,g,n,p) AND (880-730 all subfields) AND (880-740 all subfields) AND (880-830 all subfields) AND (880-840 all subfields)	Other title	Full Display Labels
no	Uniform Title	(130 all subfields OR 240 all subfields) AND (880-130 all subfields OR 880-240 all subfields)	Uniform title	Full Display Labels
√	Alternative Title (Vernacular Title)	880-245 a,b,f,g,k,n,p,s,c	displays under Title	Full Display Labels
√	Resource type (Type)	Based on several MARC tags. For more information, see Mapping Resource Types in Primo VE .	n/a	n/a