

Release:

8.1.2

Highlights: This release contains bug fixes for various modules.







General documentation for this release:

http://www.customercenter.exlibrisgroup.com

B Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
		Using the (*) asterisk to mark important terms in a Free				
9342	The asterisk is being ignored in relevance searches.	Text Keyword search now yields the expected results in WebVoyáge and Cataloging.			Cataloging	15963
	When creating a booking and searching for a patron last name including a hyphen or a space, the message 'No matches found'					
9619	displays.	the way it is done in Circulation.			Media Scheduling	18435
	When using the Receive/Mark tab to receive the book when invoicing, the Receive hierarchical control should open all the way down to the copy level or location level depending on	Modified the code to expand the Receive Tree control according to the user preference set in the Workflows				
9629	settings.	preferences.			Acquisitions	18237
9748	If the start date or end date of the fiscal period is today's date, activity on ledgers/funds using that fiscal period is prevented.	The time stamp on the end date of a fiscal period is now stored in the database as 11:59:59pm instead of 12:00:00(am) thus making a transaction occurring on the end date valid for that period.	Any new fiscal periods created with this fix in place has the new correct time. Any old fiscal periods need to be resaved in the System Administration client to force the end date to be corrected in the database.		Acquisitions	18679
9829	The more subdivisions that are present in a record's headings fields drastically diminishes the number of headings able to be used in a bit record. If there are numerous headings fields with subdivisions, the Cataloging client quickly returns a Run Time Error 440/65099 when trying to save the record to the database even if Authority Validation is turned off.	Records with large numbers of subdivision fields are not causing a problem in cataloging, bulkimport or global headings change. Records load or are processed successfully in all three applications.			Cataloging	19066
	Only the default policy definition is used for booking equipment	Only use the default policy settings if none exist for the				
6384-15445	regardless of matrices in SysAdmin.	matrix patron group/item type at hand.			General (Voyager)	33253
6384-15779	When a booking is edited, but not saved, it results in equipment having a charged status without being linked to a booking. If there is no specific short loan matrix for a patron group/item	All relevant information is now saved before a charge is committed.			media.exe	16384-6017
6384-27940	type (meaning the (all)/(all) matrix is used) and a short loan request exists for another patron (that does have its own short loan matrix), when you attempt the charge you get an error message stating 'Item is designated for short loan, but has an invalid loan interval or loan period. Unable to charge item to patron (Non-Overrideable).' If you click OK to this block, the item is charged to the patron.	Changed the block message in the code when the patron attempting to charge an item that is scheduled for immediate short loan does not have a matrix value for a short loan.			Circulation	16384-10689
0304-27940	Read-only user script does not generate synonyms for stored				Circulation	10304-10009
	procedures, so the read-only user does not have access to	Updates were made to the readonly.ksh script and that				
6384-30865	them. When you switch from "This Copy" to "Any Copy", the pickup	should fix the inability to access functions.			Cataloging	16384-11954
6384-30882	location supplied on the form switches from either the default (if you have not selected anything else yet) or your selected location (if you have already chosen a pickup location) to whichever pickup location falls first alphabetically.	Removed the XSL statements that change the pickup location for <i>Any Copy</i> and <i>This Copy</i> on the Hold and Recall request forms.	Changes were made to the cl_requestForms.xsl file. See the skin changes document for 8.1.2.		OPAC	16384-11969
000100002	When using the Send Record To function in Cataloging, a large	Needed to change the type of the variable that contains the length of the record from an integer to a long type				1000111000
6384-31316	record may trigger a run-time error and Cataloging closes.	to allow for very large records. Excluded any item and/or equipment that is discharged			Cataloging	16384-12081
	Overdue notices are not generated for bookings in which some of the equipment or materials have been returned but not	or lost in a media booking from the overdue list. The overdue notice only lists overdue items and/or				
6384-3187	everything that is charged in the booking.	equipment.			Cataloging	16175
	In Media Scheduling, when entering start and end dates using keystrokes (rather than the dropdown) entering the ending date	Moved the date check out of the Change event into the LostFocus event. This way a change is not prompted				
6384-3191	CHANGES the starting date.	by each key stroke.			Media Scheduling	15839
	Bookings for media items print Overdue Notices to the Voyager Default Print Location set in SysAdmin>System>Print Locations and use the Default Address set in SysAdmin>System>Default	Corrected mediajob to use the correct print locations as				
6384-3193	Address.	defined in media sysadmin. The SICI for the non-predictive issue has been modified			Media Scheduling	19079
		to include the ISSN if it is available in the MARC record. In that case the PIA field in the SICI now includes the				
6394 36940	If the issue is non-predictive, when the EDI message is created, the SICI consists of only the issue's enum/chron information.	ISSN immediately followed by the enum/chron in parentheses.			Acquisitions	16384-14337
0004-00049	are oron consists of only the issue's enum/chron information.	parentineses.			Acquisitions	10304-14337

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
		Needed to change the type of the variable that contains				
	If you are importing records from a large file with "Delete records	the length of the record from an integer to a long type				
	from import file once saved to database" selected, you'll receive	to allow for large records to be deleted from the import				
16384-37350	error: "Error #6 was generated by Cataloging. Overflow."	file should that option be selected in the preferences.			Cataloging	16384-14737
10304-37330	endi: Endine was generated by bataloging: eveniow.	Corrected the handling of the AND case by the drools			Cataloging	10304-14737
		engine. Additionally added a new drop down Link with				
	If it is necessary to specify an additional condition for a data	<i>field</i> to allow a link on some of the conditions being		Documentation was modified to reflect		
16384-38676	change rule, the data change rule does not work.	used.		this change.	Global Data Change (GDC)	16384-14417
10004 00070		Added code to accept two new tags from the client.		and onlange.	elebal bala enange (ebe)	
		When creating EDI data, the ISSN validation is				
		bypassed if this option is selected in the client and the				
	Whether the EAN is in the 020 or the 024, if it is prefaced by	ISBN prefix validation is bypassed if this option is				
	anything other than 978 or 979, the EAN will not be in the EDI	selected in the client. (Note: These new options are for		Documentation was modified to reflect		
16384-40401	message.	EDI messages only.)		this change.	Acquisitions	16384-16097
10001 10101	If a UB requested item is on the hold shelf for a patron, if an			this change.	/ loquisitions	10004 10007
	operator attempts to charge the item out to the patron at a circ					
	happening location that *isn't* the pickup location, the operator					
	gets an error message that reads "The patron cannot charge this	Medified an error message to include an additional				
	item because it belongs to another cluster and the patron has	reason for why the error has occurred. This alerts you to				
16384-40546	not requested it or the Hold Shelf Life has expired."	a new condition to check.			Universal Borrowing	16384-16129
10004-40040	notroqueated it of the noid onell Life has expired.		1	1	Shiversai borrowing	1000-10123
		Reordered the patron demerits tags to match the order				
		in which the server sends them. The suspension value				
		is now correctly received by the client. Added the				
		suspension credit to the other credit checks from the				
16384-40600	Suspensions are sent with an amount of 'Demerits: null'.	fine_fee_trans_type table and now the suspension value is added to the XML that the service sends.			Interoperability (Voy)	16384-16161
16384-40600		value is added to the XIVIL that the service sends.			Interoperability (Voy)	16384-16161
	The "date.format=" in vxws.properties appears to alter the date					
	format in some services (like Record Items, for example), but not	Corrected the logic to use the date.format in				
16384-40626	others (Patron Circulation Actions – Loans, for example).	vxws.properties to format dates in all services.			Cataloging	16384-16194
			Changes were made to the			
	Net all Union de autorie de alternation and autorie de curie a the Drint	A data diferente di este este este la la consecte se de site e	printBriefRecord.css and printFullRecord.css files. See the skin			
16384-40627	Not all Unicode symbols show up properly when using the Print function in WebVoyáge	Added fonts that support Unicode characters to the			OPAC	16384-16113
16384-40627	If a patron with stubs also has a processed local call slip request	cascading style sheets for printing brief and full records.	changes document for 8.1.2.		OPAC	16384-16113
	at the time circjob 43 is run, the job will write 'Error: Unable to	Fixed an error in an SQL select statement for the				
	collect data for this patron record. Possibly due to failure to	circulation cluster ID based on the item location data.				
	communicate with remote database LOCAL. Circjob log error	This caused the program to return incorrect information				
16384-40753	message:', and won't process any of the stub data.	for some stub patrons.			circiob	16384-16321
10304-40733	message, , and won t process any of the stub data.				CIICJOD	10304-10321
			If the bib record is created in			
			Acquisitions using a template, the			
			acqbib.cfg should contain directives for			
			adding an 007 to the bib such as:			
	If a brief bib is attached to a PO and has not been Received,	Corrected an allocated memory cleanup problem that	Fnn=Leader FnnMarc=007v			
	when overlaid, it will not be found when using certain limits that	occurred during the bib overlay and was causing	FnnDefault=v			
16384-41234	should find the record.	memory corruption.	FnnRequired=No		General (Voyager)	16384-16337
16384-41235	Combining two advanced searches with Turkish diacritics (e.g. ä,	Added URL encoding for the special characters in the				
<u>16384-41235</u>	Combining two advanced searches with Turkish diacritics (e.g. ä, ö, å) will not yield any hits.	Added URL encoding for the special characters in the combined search URL.			OPAC	16384-16401
16384-41235		combined search URL.		See changes in the WebVováge	OPAC	16384-16401
16384-41235		combined search URL. Modified the WebVoyáge Architecture Overview and		See changes in the WebVoyáge Architecture Overview and Configuration	OPAC	16384-16401
16384-41235		combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?"		Architecture Overview and Configuration	OPAC	16384-16401
16384-41235	ö, â) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for			OPAC	16384-16401
		combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?"		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up	OPAC	16384-16401 16384-16897
	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer		Architecture Overview and Configuration Models "How Do I Display A Favicon?"		
	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu.		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up		
	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up		
<u>16384-41235</u> 16384-42355	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment transaction amounts. These two types of fine payment are summed for a given operator and location		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up		
	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment transaction amounts. These two types of fine payment are summed for a given operator and location over the specified date range. All transactions of both		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up		
16384-42355	 ö, å) will not yield any hits. Internet Explorer cannot render favicons from pages served by VWEBV. Fines/fees collected from a Self-Check machine will not display 	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment are summed for a given operator and location over the specified date range. All transactions of both types are summed together to create the fines column		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up	OPAC	
	ö, å) will not yield any hits.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment transaction amounts. These two types of fine payment are summed for a given operator and location over the specified date range. All transactions of both	A BIBLEFTANCHORED Regen is	Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up		16384-16897
16384-42355	 ö, å) will not yield any hits. Internet Explorer cannot render favicons from pages served by VWEBV. Fines/fees collected from a Self-Check machine will not display 	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment are summed for a given operator and location over the specified date range. All transactions of both types are summed together to create the fines column		Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up	OPAC	16384-16897
16384-42355	ö, å) will not yield any hits. Internet Explorer cannot render favicons from pages served by VWEBV. Fines/fees collected from a Self-Check machine will not display in the totals under the Global Circulation Statistics Report.	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment transaction amounts. These two types of fine payment are summed for a given operator and location over the specified date range. All transactions of both types are summed together to create the fines column of the report.	A BIBLEFTANCHORED Regen is	Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon.	OPAC	16384-16897
16384-42355 16384-42850	 ö, å) will not yield any hits. Internet Explorer cannot render favicons from pages served by VWEBV. Fines/fees collected from a Self-Check machine will not display in the totals under the Global Circulation Statistics Report. Some indexes, such as the 020R, 020Z, 035Z, index 61 	combined search URL. Modified the WebVoyáge Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon. As of this fix, Internet Explorer displays favicons in the Favorites menu. The e-kiosk transaction amounts are added to the payment are summed for a given operator and location over the specified date range. All transactions of both types are summed together to create the fines column of the report. The full amount of 150 characters is now saved in the	A BIBLEFTANCHORED Regen is required to update all of the affected	Architecture Overview and Configuration Models "How Do I Display A Favicon?" documentation to describe how to set up favicons for the shortcut icon.	OPAC Batch jobs	16384-16897 16384-17025

	If attempt to Data Change job in the traindb, get "Record Export Failed" in the log.	Added a parameter to pass to the JobExecutor. The new parameter is P for production, T for training or C	Implementation Notes		
	raileu in the log.	for citation. This allows the JobExecutor to work with	The Pjobd script has been modified for		40004 470 45
	When Bulk Import encounters a character during import that it	scripts from different environments. When a MARC record that cannot be parsed is found	version 8.1.2.	Global Data Change (GDC)	16384-17345
		in the bulkimport import file, the record is written to the			
	The record is not written to the error file and no additional	error log and the program continues on to the next			
6384-44193	records are imported.	record in the file.		Batch jobs	16384-17538
	If the new feature in 8.1.0,				
	"IncludeReserveListItemsSuppressedBibs", is set to Y in the				
		Caught Null Pointer Exceptions when processing each			
		bib record in the required bibs, range of bibs or changed bibs sets to allow the process to continue on.			
	ExtractBibs::doReguired**** Caught	In addition, returned ERROR instead of FATAL when			
		other exceptions occur to allow the primo extract not to			
	returned=-3".	end before all tasks have been processed.		Interoperability (Voy)	16384-17569
	British Library's new software will not accept ARTEmail Requests				
		and the message keyword code of LOAN or PHOTO in			
	a space between the reference number and message keyword	the ARTEmail message to comply with British Library's			
6384-44433	codes.	new software.		 OPAC	16384-17601
	If PATRON.MIDDLE_NAME is populated, NCIP is sending it as	Added optional elemente fellouiza the NOD actions			
6384-44434	the given name. Otherwise, NCIP correctly sends patron's first name.	Added optional elements, following the NCIP schema, for INITIALS (Middle Name), PREFIX & SUFFIX.		Voyager InterCirc U.2	16384-17553
0304-44434	name.	TOT INITIALS (MIDDLE NAITE), PREFIX & SUFFIX.		Voyager Intercirc 0.2	10304-17555
		Increased the Tomcat session-timeout for VWEBV	The session-timeout in VWEBV no		
		programmatically to allow all of the selected records to	longer has any effect on the session-		
		be printed. The session-timeout is increased only	timeout for the record printing page. If it		
		during the time that records are being loaded into the	has been increased to allow for longer		
		browser for printing. After the record load is complete,	printing time, it should be reset to what		
0004 44577		the session-timeout for VWEBV goes back to what is	it was previously. The recommendation	0.54.0	10001 17710
6384-44577	records, plus 9,990 more), but will actually print fewer. Sometimes saving changes to bulk import rules created in	set in the VWEBV web.xml file. Changed the code to correctly utilize the Single MFHD	is for 15 minutes or less.	OPAC	16384-17713
	previous versions results in Database Error. Changes are saved,	flag when starting the edit the first time and <i>Load</i>			
6384-44865	but it's not clear to user what's going on.	Bib/Auth Only is selected.		General (Voyager)	16384-17681
				Contrai (Voyagoi)	10001 11001
		Added a check for the item status Hold Requested			
		which is item status type number 6 to the test for	webvoyage.properties needs a		
		sending out the item status tag. This sends out Hold	property holdings.item.request.status.6		
CO04 440CC		Requested information for the properties when the item		Circulation	16384-17697
6384-44866	the status displays as "No information available." If no call number found in bib as specified in the call number	has that status.	status. Otherwise, 6 displays instead.	Circulation	10304-17097
	hierarchy, the call number from the previously loaded bib is	Corrected the call number tag field handler to perform			
6384-44962	added to the next bib's mfhd.	the proper cleanup during execution.		Batch jobs	16384-17825
				1 1 1 1	
		The authority control dll was corrected to remove the			
		extra character that appeared in the 040 field of a newly			
	When creating authority from bib record with 040 \$e rda, an	created authority record when a \$e containing the	AuthorityCreation2008.12.dll version		
6384-45249	extra field separator character is inserted in the 040.	string "rda" was present in the bibliographic record.	3.2.0.144 is the new dll.	Cataloging	16384-17985
	When a hit linked to a course recence list is suppressed. It	Modified the holdings information retrieval code to be			
	When a bib linked to a course reserve list is suppressed, it appears in the titles list for the reserve list in WebVoyáge, but the	aware of the search type so that when the search type is for course reserve, the holdings for suppressed bibs			
	record and holdings information will not display.	can be displayed.		OPAC	16384-17969
		Locations associated with GDC security profiles can no			
		longer be deleted. The server now checks the GDC			
	You can delete locations that are still associated with GDC	security locations table and reports an error to the client			
6384-45282	Security profiles.	if that location is found.		Global Data Change (GDC)	16384-18017
	If the extract hits a deleted record that has an 001 padded with	Trimmed spaces from the Bib ID of the 001 field before		1	
	spaces, the extract dies without processing the rest of the	using it to retrieve the item availability information.			
	deleted.bib.marc file.	(Note: The MARC record itself is not changed.)		General (Voyager)	16384-18049
	deleted.bib.marc me.	- /			
6384-45297	Acquisitions gives run-time errors if a newly created item record			1	
6384-45297	Acquisitions gives run-time errors if a newly created item record isn't first closed and then reopened before a second save				
6384-45297	Acquisitions gives run-time errors if a newly created item record isn't first closed and then reopened before a second save operation is attempted. Client closes after giving run-time errors	Verified that the collection of notes as an object exists			
6384-45297	Acquisitions gives run-time errors if a newly created item record isn't first closed and then reopened before a second save operation is attempted. Client closes after giving run-time errors 91 and 97.	Verified that the collection of notes as an object exists before looping through it.		 Acquisitions	16384-18145
6384-45297	Acquisitions gives run-time errors if a newly created item record isn't first closed and then reopened before a second save operation is attempted. Client closes after giving run-time errors 91 and 97. If a user who is part of the restricted User group for their PC			Acquisitions	16384-18145
6384-45297 6384-45553	Acquisitions gives run-time errors if a newly created item record isn't first closed and then reopened before a second save operation is attempted. Client closes after giving run-time errors 91 and 97.			Acquisitions	16384-18145

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
	The Drive D Million of the state of the stat	A data da fara a contra da da da da contra da contra a contra da terra da	Leader Haller and Jacks days for a strength			
10001 10100	The Primo Publishing extract does not export suppressed bibs	Added VoyagerLib-Model jar file to the class path. This				10001 17005
16384-46162	that are linked to E-Items and/or reserve list items.	is required for accessing e-item data and was missing.	startup scripts.		Interoperability (Voy)	16384-17905
		Added the capability of capturing the fund code for				
		each line item when the fund field is on the same tag as				
		the main tag for the MFHD. If the fund field is not on the				
		same tag as the main tag then the fund code is				
	Only the fund code in the first field is used for all subsequent	captured from a separate tag and is the same for all the				
16384-46241	items when creating multiple items via bulk import.	items for a given MFHD.			Batch jobs	16384-18353
	When a bulk import rule is set to create a PO, and a record in an					
	import file has invalid data, then the PO line items for the					
	subsequent records are created, and it looks as if the PO is	Limited the length of the data retrieved from the MARC				
	created, but the PO is not created, and the line items are	subfield for the import to the length that can be safely				
16384-46242	orphaned in the database.	stored in the database field or the program variable.			Acquisitions	16384-18401
10304-40242	When you search multiple databases and select "Return to				Acquisitions	10304-10401
	Holdings" from the Patron Requests page, you receive a					
	WebVoyáge System Error.	Same fix as KB 16384-47619.			Cataloging	16384-18417
		Removed the call to retrieve the search types that was				
		embedded in the call to get the preferences when the				
		user logs in. This action preserves the context of the				
	When searching multiple databases, after placing a UB request,	simul search results and allows for accurate navigation				
	clicking Next to view another record results in a WebVoyáge	from the request form regardless of what action is taken				
16384-47619		by the user.			Cataloging	16384-18433
	If a media item has a status of "In Process" (or other exceptional					
	statuses) applied, staff receives a database media error upon	Corrected a query that was not being properly				
16384-6565	trying to book.	transformed.			Media Scheduling	16384-2513