

Release:

7.2.4

Highlights:

This release contains bug fixes for various staff modules and WebVoyáge.



http://docs.exlibrisgroup.com/docportal/









KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
	The call number must include spaces when there is a double cutter (when the second cutter is separated by an indicator).	Call numbers with double cutters must be searched without a space between the cutters.	Regen required (MFHDINDEX = Y) to refresh the currently stored call numbers so that they can be searched with the new rule			
19287			outlined in the solution.		Cataloging	15058
	Approving a purchase order and selecting check for duplicates, returns line items with their purchase order numbers as a mixture of the po_number and po_id fields from the database tables.	Send back to the client the purchase order number field when the check duplicate order API is called and consistently use that number in the client when displaying the list of duplicates.				
19309	Var. and to hit the Tab harding if you are an the History tab to find the	The code was modified to set the focus to and			Acquisitions	15377
16384-3031	You need to hit the Tab key twice if you are on the History tab to find the cursor.	highlight the first row on the list of updates on the History tab.			Cataloging	15495
	All drop-down lists on the Approved/Sent Purchase Order seem to be active, but the customer cannot choose from the Site, the Bill To, or the Line Item Type drop-down lists in Line Item Details in order to change items on an Approved Purchase Order. The customer can change PO Type and Ship To but not Account, Bill To, or Line Item Type.	The code was modified to disable the drop-down lists that could not be accessed.			Acquisitions	15879
	Attempting to cancel a purchase order totaling an amount greater than 0 with line items attached to an expired fund, results in a "run time error 91 Object variable or With block variable not set" message and a shutdown of the client.	In case a fund related error occurs during the cancelation process of an approved purchase order, the client displays the actual error in a separate form. This form needed to know who its parent form was or a run time error would occur.				
19366	When changing a subject heading subfield, it creates a duplicate entry in the Headings List for the subdivision.	This is what has been corrected. Changing a subject heading subfield in a bibliographic or authority record no longer creates a new subject heading in Staff Subject Subdivision searching.	Run a regen with HEADINGS=Y. The headings_subdivision table has extra entries which are cleared by running a regen on headings. The problem is not made worse if a regen is not done. The expected result is not seen unless the regen is performed.		Acquisitions	16307
16384-27555	leaves that you should be an the greekees and a price to consider the	A number of and a convey dates the increase			Cataloging	16883
	Issues that you checked in on the purchase order, prior to copying the purchase order with components relinked, cannot have item records added	A purchase order copy updates the issues received with the copy ID associated with the new purchase order and linked components.			Accordant	47004
16384-3307	When doing a Global Headings Change, Pcatjob 13 does not change the 1xx	Pcatjob 13 changes a 1xx in a bibliographic record			Acquisitions	17361
40000	if there is a 240 tag present in the bibliographic record even though the catjob.log says it is processed.	even if there is a 240 tag present in the bibliographic record.			Ontale with a	17439
	The system does not prevent you from importing an incomplete 007. You are also unable to edit or delete an incomplete 007 field. When you click to try to delete the 007, you receive the "Run Time Error 9: Subscript out of range" message and the Cataloging client dies.	An invalid 006 or 007 (that is, one where the form or category of material is blank), is not displayed. It cannot be displayed and is deleted when the record is saved. An informational message displays when you open a record with such a field. This condition is assumed to be rare.			Cataloging Cataloging	17439
19557	When entering amounts over \$999.99 in Max Fine Amount and Max Fine for Recalls, the system does not properly save the dollar amount entered if it is above \$999.99 and below the allotted \$9999.99.	The code was modified to remove the comma from the dollar amount when saving the data to allow for the correct saving of amounts between \$999.00 and \$9999.99.			System Administration	18045
	Even if patron group rules are set on the Patron tab in SysAdmin>Circulation>Policy Definition for the OPAC Circ Desk, placing a Title Level Recall does not correctly populate the patron group ID in the	The patron_group_id field of the Hold_Recall table is populated when a recall is made from the Tomcat WebVoyáge Recall Request screen.			System Administration	
	hold/recall table. When you have exactly 682 issues checked in, the receipt history does not display (you see the standard "No receipt history" message), but the data remains in the issues_received table.	The logic flaw that caused the problem of the disappearing history which occurred at 682 and any multiple of 682 issues received has been fixed.			Reporter	18351
19704	-00.50	Deve and developed and 50 to			Acquisitions	18593
	z39.50 connections are logging erroneous and incorrect error messages. This leads customers to investigate problems with connections that do not exist. It also causes logs to grow excessively quickly filling up file systems for sites	Downgraded several z39.50 log messages from Error to Warn or Debug. Messages included those for Z39.50 INIT, Z39.50 CLOSE and session				
19690	that have extensive z39.50 activity. Circjob 43 does not clear orphaned entries in UB_PATRON_RECORD.	timeout. Circjob 43 clears orphaned entries in the			Z39.50 Server	18709
16384-26131		UB_PATRON_RECORD which allows patron records to be deleted through circulation.			Circulation	16384-10113
	VPDS returns <xml-fragment> when given invalid input.</xml-fragment>	The code was modified to return an error message when provided input that is invalid.	Both VoyagerLib-VoyagerPDSSchema- v7.2.4.jar & Voyager-PDS-v7.2.4.jar must be			
16384-28049			deployed.		Batch jobs	16384-10274

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
	User unable to import an Authority record via Cataloging or Bulkimport that	The code will no longer attempt to insert duplicate				
	has 5xx tags (such as 510).	authority headings into the heading table.				
16384-26834	***	T			Batch jobs	16384-10481
	If there are no active Course Reserve lists to display in the OPAC, users are taken to the same page that they were originally on when clicking on the	The code was modified to remain on the Course Reserve page and display a message when there				
	Course Reserve tab. No message is displayed that there are no active	are no active course reserve lists to display on the				
16384-30593	reserve lists.	Course Reserve tab.			OPAC	16384-10545
16364-30393	Searching ignores punctuation.	Punctuation normalization is now limited to			OFAC	10304-10343
		keyword searches. Parentheses normalization has				
		been corrected to allow for OCLC numbers.				
16384-27939	A complete of the order of the control of the contr	The best on become described on the education			OPAC	16384-10642
	A search built with multiple search terms joined by AND fail if the word order is not used first.	The boolean keyword searching, on the advanced search page, for search terms that begin with AND				
16384-27953	is not used mst.	or OR was fixed.			OPAC	16384-10705
16384-27953	Multi-piece items do not trigger an alert.	The code was modified to set the unique block			OPAC	16384-10705
	mana pieces nome de not angger am alora	code so that the alert is invoked when the multi-				
16384-28675		piece alert is set to Y.			Circulation	16384-10977
	Typically when the extract runs into problem records, it aborts completely	Vprimo extract logs errors and skips to the next				
	without useful messages and does not process the rest of the records for that	bibliographic record when it encounters bad bibliographic data.				
16384-34626	The Record Holdings XML service is returning the copy number in the item	The display of the copy number can now be			Interoperability (Voyager)	16384-11009
	status attribute rather than giving it its own unique attribute under this element.					
16384-28882		19g			Interoperability (Voyager)	16384-11057
10304-20002	Attempting to load the Set Limits page in the Classic OPAC under Linux	The limits page can now be accessed for Classic			interoperability (voyager)	10304-11037
16384-29058	causes the user's session to die.	OPAC on the Linux platform.			OPAC	16384-11121
1000120000	If you are using OPAC via Primo and have the SysAdmin>OPAC	The code was modified to not send the no-item			0.7.0	
	configuration>Miscellaneous>Call Slip Item Required checked, the request	element when the Call Slip Item Required is				
	form initially displays without a copy selected. If you submit the form this way,	selected in Voyager System Administration.				
16384-29329	the request is accepted and becomes an itemless call slip.				Interoperability (Voyager)	16384-11249
10304-29329	Catjob 11 is not clearing certain headings from the queue.	The Catjob clears headings that cannot be			interoperability (voyager)	10304-11249
	3	processed from the queue tables when it finds				
16384-29713		them during Catjob 13.			Cataloging	16384-11297
	When a new note is added to the patron record, the counter does not	Allow the patron form to refresh after a patron note				
	increase.	is added or removed. The counters will be updated				
16384-29604					Circulation	16384-11345
	If your database is on a Linux server and you attempt to access message data for invoices/purchase orders loaded before your migration to the Linux	A batch job was created to convert the EDI message data created on Solaris prior to the				
	platform, the Message: EDIFACT view displays but all lines display as blank	customer's Linux database creation to the Linux				
	and scroll continuously which prevents the operator from doing anything else	format. This job is to be run by Ex Libris staff for				
16384-29601	in Acquisitions.	the customer.			Acquisitions	16384-11377
	Across clients, staff entering passwords longer than the 9-character limit is	The entry of a password has been limited to 9				
	handled differently.	characters instead of 10. All applications should				
4000400		now only accept 9 characters and validate against 9 only.				
16384-29890	The patron places a hold request using third-party system (such as Relais)	The code was modified to use the To Agency ID	The fix will not be visible without change to		System Administration	16384-11441
	and needs to be able to specify a pickup location for the item. Current	field in the Accept Item and Request Item	the intercirc-ursa.ini file as per the			
	functionality provides for a single default pickup location as specified in the	messages to supply the pickup location. The	following:Added the following flag under			
	library's configuration file (intercirc-ursa.ini).	solution requires a change to the intercirc-ursa.ini	[Borrowing] stanza, if set equal to "N", will			
		file. Please see the implementation notes.	cause to use the pickup location from the To			
			Agency ID field. Otherwise the default pickup			
			location will be used from the Borrowing stanza in intercirc-ursa.ini			
			file.UseDefaultPickupLocation=YAdded the			
			following flag under [Lending] stanza, if set			
			equal to "N", will cause to use the pickup			
			location from the To Agency ID field.			
			Otherwise the default pickup location will be used from the Lending stanza in intercirc-			
			ursa.ini file.UseDefaultPickupLocation=Y		General (Voyager InterCirc	
16384-34627			·		U.2)	16384-11537

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
KB Number	When VXWS and VWEBV are started simultaneously, VXWS is not initialized	VWEBV now polls VXWS using a configurable	The VWEBV web.xml has been updated.	related Documentation	meanic	105de Nulliber
	in time for VWEBV to initialize correctly. The same problem is observed when	timeout that is set in web.xml in order to be able to	The following has been added: 1) context	1		
	VXWS is started after VWEBV is started. Currently, the VWEBV Tomcat	retrieve service data in cases where VXWS has	parameters for a timeout, 2) filter mapping	1		j
	checks one time to connect. If it does not connect successfully, it populates	not yet started.	for VoyConfig, 3) an error page for HTTP	1		
	with default values that disables Universal Borrowing in the OPAC.	not you started.	503 status, and 4) a new error_503.html.	1		
	with default values that disables offiversal bollowing in the OFAC.		ooo olalas, and +, a new enoi_ooo.ndiii.	1	ODAG	40204 44004
16384-34628	A material consequence of the State beauty distributed to the state of	Management and a state to be a second at		1	OPAC	16384-11601
	A patron suspended in its home database is not blocked from charging out an	If a patron is suspended at the home database				
	item in the stub database.	and attempts to charge at a remote location as a				
		stub, the operator is notified of the suspension				
		block at the home database and has the ability to				
16384-30353		override the situation (based on permissions).			O'estation	40004 44000
	When a fine has been partially posted against, the fine/fee information that	The sede was diffed to include the semest			Circulation	16384-11633
		The code was modified to include the correct				
	displays as part of the 64 message from Voyager includes postings against	amount when the postings have been made			General (Voyager Self Check	
16384-30354	existing fines but not the amount.	against a fine.			V2.0)	16384-11697
	The BE field in the 64 Patron Information Response message is blank.	The Patron Information Response message has				
		been corrected to include the patron's e-mail			General (Voyager Self Check	
16384-30659		address in the BE field.			V2.0)	16384-11841
	Fines/fees paid using SIP2 are only accepted if the patron's barcode is active.	The code was modified to allow the processing of		1		
16384-31314		fines/fees for patrons with an inactive barcode.		1	General (Voyager)	16384-12049
	When placing a recall request within a request group, recall requests made in	Retrieve the request group ID from the recall			, , , , , ,	
	WebVoyáge seem to place a recall request on one item not necessarily in the	request and send the request group to the OPAC				
	request group and holds on all other items regardless of the request group.	server for hold/recall processing.		1		
16384-31317		, ,		1	OPAC	16384-12082
10004-01017	When the user attempts to relink a purchase order line item to an EDI invoice,	Purchase order line items can now be relinked to			56	.3007 12002
	he gets "Run-time error '91': Object variable or With block variable not set"	EDI invoices.		1		
	and the Acquisitions client then closes.	251 1110 10003.		1	Acquisitions	16384-12497
10304-32209	If the callslipsyr process launched at the pickup database dies off when	The solution is to prevent Call Slip from processing		1	Acquisitions	10304-12497
	processing a request in Call Slip in the holding database, any subsequent	requests if the Call Slip server process that was		1		
	requests processed for that database cannot connect back to the pickup	launched at a remote database goes away for any		1		
]	database; and the necessary rows do not get created in hold_recall. On the	reason.		1		j J
		reason.				
	holding side, the rows that get written to ub_hold all have the hold_recall_id of the last request that successfully was successfully processed.			1	General (Voyager Universal	
16384-32241					Borrowing)	16384-12529
	The MARC21 tag tables include fields 380-384 in the Bmarc3xx.cfg but do not	The MARC21 master.cfg was updated with the	Install or merge the new master.cfg file.]		
	include fields 380-384 in the master.cfg. As a result, those fields cannot be	missing 38x fields.		1		
16384-33524	validated in Cataloging.			1	Cataloging	16384-13009
	When retrieving a 1xx authority record in WebVoyáge via WebAuthorities, if	The size of the heading buffer was increased so		†		. 500 5000
	the 1xx heading has more than 255 characters, the Heading Type column	that it does not overwrite the type field.		1		
16204 6404	displays characters 256 and one of the 1xx fields.	and the type note.		1	OPAC	16384-2370
10384-0101		The code was modified to provent adding the		1	UFAC	10384-2370
	If you accidentally select the same fund twice when splitting an allocation	The code was modified to prevent adding the		1		
	across two or more funds and then save the copy information and the line	same fund twice on one line item.		1		
40004 70-	item details, you get a run time error 457 and the client closes.			1	A t-ttt	40004.0700
16384-7297	Miles market Oatlet 40 with as antide	This is condition as a second to 1 = 0.4			Acquisitions	16384-2723
	When running Catjob 13 with no entries marked to process, the job dies; and	This is working correctly in 7.2.4.		1		
16384-12035	on some servers, a core file is produced.				Cataloging	16384-4865
	The Search tab in WebVoyáge brings up the Basic Search page. This cannot	Two properties were added to	Two new webvoyage.property properties]		
	be changed.	webvoyage.properties so that a starting search tab	have been added to webvoyage.properties.	1		
		may be defined. The new properties can be used	No configuration changes need to be made if	1		
		to set the header and footer starting search tab.	changing the starting search tab is not	1		
]		The default is still the Basic Search for header and	desired. First, the new property for the page	1		j
]		footer if the new properties are not defined.	header is as follows:	1		j J
]			page.header.buttons.search.start=The Ex	1		
]			Libris possible values are searchSubject,	1		
			searchAdvanced, searchAuthor and	1		
			enterCourseReserve.do. Other values may	1		
			be valid if you have defined your own search	1		
]			tabs. Second, the new property for the page	1		j
]			footer is as follows:	1		j
			page.footer.buttons.search.start=See above	1		
]			for the valid values. The default	1		
			webvoyage.properties comes with no values	1		
			defined so the default remains searchBasic.	1		
16384-14584				1	OPAC	16384-5617
10004-14004		l		l .	100	. 500 + 5517

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
	When creating an authority for a certain heading type, the created record	When creating an authority record for a 100/240	The client install must install the new			
	defaults incorrectly to a subfield a. For example, in a bibliographic record 100		AuthorityCreation2007-24.dll version			
	= 100 1_ \$a Peyrefitte, Alain, \$d 1925-1999. and 240 = 240 10 \$a Quand la	to a \$t.	3.2.0.133.			
	Chine s'éveillerale monde tremblera. \$1 English. The authority heading					
	created from the authority validation screen is: \$a Peyrefitte, Alain, \$a Quand					
	la Chine s'éveillerale monde tremblera. \$d 1925-1999. \$I English. This is					
	incorrect. The correct form is: \$a Peyrefitte, Alain \$d 1925-1999. \$t Quand la					
16384-27557	Chine s'éveillerale monde tremblera. \$1 English.				Cataloging	16384-8177
	The extract uses the reserve_item_history.effect_date value to compare	When an item is added to a reserve list and it is				
	against the ChangedSince date. However, this column only updates when an	already on reserve, update the effect_date in the				
	item is first flagged as On Reserve not when an item already on reserve is	reserve_item_history table. This triggers an				
	added to a new course reserve list.	update to the bibliographic record for Vprimo				
16384-21522		extract.			Interoperability (Voyager)	16384-8897
	When running acqjob 4 independent of the fiscal period close, the job	The Rollover Status Report job now uses the				
	sometimes pulls in rollover status information from very old ledgers and not	supplied rollover date when processing the report.				
	from the ledger specified based on the date parameter.				Acquisitions	16384-8913
	If a MFHD does not have a call number in the 852 field but is associated with	Call number will not appear in the extract if the				
	a bibliographic record that also has another MFHD that has a call number and	MFHD does not have a call number.				
	a lower MFHD ID, both pull the call number from the lower mfhd_id into the					
16384-22465	949 subfield d when the MFHDs are extracted.				Interoperability (Voyager)	16384-9234
	MFHDs are not deleted via Bulkimport using the -r parameter. The import log	The 852B code is reserved for duplicate detection	A cleanup script is required to change a		, , , , , , , , , , , ,	
	shows "No MFHDs to delete."	in MFHD-Replace. The System Administration	search code of 852B that may be associated			
		module does not allow the user to enter the code	with a Keyword or MFHD Keyword Search.			
		852B for the Holdings Keyword Definition or	The code is changed to the next available			
		Keyword Definition. An error message alerts the	code. This is typically the 852C unless that			
		user.	code is in use. If it is in use, then another			
16384-22641			unique code is found.		Batch jobs	16384-9267
	If the 008 is not present in the record, one cannot Replace or Merge (or	Complete Replace or Merge in Bulkimport and the				
	delete with Bulkimport using the -x parameter) bibliographic records via	Import function in Acquisitions if the 008 is not				
16384-23169	Bulkimport or the Import function in Acquisitions.	present in the bibliographic record.			Batch jobs	16384-9409
	If a course reserve list has e-items attached to it, the reserve list can be	The code was modified to prevent deletion of the			Dater jobs	10304-3409
		course reserve list when there are e-items				
	1	attached to it.				
		attached to it.			a::	
16384-24353					Circulation	16384-9762